



A COMPREHENSIVE STUDY: ON ARTIFICIAL-NEURAL NETWORK TECHNIQUES FOR ESTIMATION OF CORONARY-ARTERY DISEASE

K. SAI PRATUISHA^{1,4}, D. RAJESWARAO², J. AMUDHAVEL⁴
and J. V. R. MURTHY⁵

^{1,2,3}Department of CSE

KL University

Andhra Pradesh-522502, India

E-mail: pratuisha@gmail.com

rajeshduvvada@kluniversity.in

info.amudhavel@gmail.com

⁴Department of CSE

J.N.T.U Kakinada

Andhra Pradesh-533001, India

E-mail: jvrmurthy@gmail.com

Abstract

In now days a lot of research is happening on coronary heart disease, analysis of coronary illness at the early time is Imperative to spare the life of individuals as it is totally irritating prepare which requires degree learning and rich experience. All around the desire of heart contaminations in ordinary strategy for assessing reports, for instance, Electrocardiogram-EKG, Magnetic Resonance Imaging, X-ray, Blood Pressure-BP, Stress tests by therapeutic experts. In a matter of seconds a days a tremendous volume of helpful data is available in helpful industry in all illnesses and these truths goes about as a staggering source in anticipating the coronary ailment by the experts took after by fitting resulting treatment at an early stage can achieve imperative lifesaving. There are various frameworks in ANN thoughts which are similarly contributing themselves in yielding most hoisted desire exactness over therapeutic data. Starting late, a couple programming gadgets and diverse systems have been proposed by examiners for making intense choice steady frameworks. Moreover numerous new devices and calculations are kept on creating and speaking to the old ones day by day. This paper points the investigation of such extraordinary techniques by analysts with high precision in anticipating the heart ailments and more review ought to go ahead to enhance the exactness over expectations of heart infections.

2010 Mathematics Subject Classification: 68N13, 97N50.

Keywords: Artificial Neural Network, coronary Artery disease, Techniques.

Received March 10, 2017; Accepted July 20, 2017

Introduction

Coronary course ailment (CAD) is the most fathomed class of coronary sickness. This is fundamental wellspring of death on the planet in both men and women. PC supported outline happens when the veins that supply blood to heart muscle persuade the chance to be especially set and contracted. This is a delayed consequence of the progress of cholesterol and other material, called plaque, on their inner dividers. This change is called atherosclerosis. As it grows, less blood can experience the supply courses. In like way, the heart muscle can't get the blood or oxygen it needs. This can incite to mid-region torment (angina) or a heart arrest. Most heart ambushes happen when blood coagulation all of a sudden cuts off the hearts' blood supply, making enduring heart hurt. After some time, CAD can comparably debilitate the heart muscle and add to heart disappointment and arrhythmias. Heart disappointment proposes the heart can't pump blood well to the straggling bits of the body. Arrhythmias are changes in the ordinary throbbing beat of the heart.

Literature Survey

The authors have developed The Rotation Forest Ensemble Technique to viably analyze Coronary Artery Disease so as to bolster clinical basic leadership forms. The proposed strategy uses Artificial Neural Networks with the Levenberg-Marquardt back causing figuring as base classifiers of the Rotation Forest procedure. The Data Mining Repository of University of California Irvine (UCI)"is used it include 303 patients. Each record incorporates 13 highlights having a place with the patient. Each record includes 13 features belonging to the patient. The accuracy of this Rotation Forest Ensemble Method is of 91.2 % [1].

The authors examined the established truth of computational shrewd systems in coronary issue finding. Cleveland information was once used to take part regarding six understood classifiers. For most classifiers and higher area learning set the execution was once raised by method for empowered element choice. They built up an effective calculation for administer extraction test on coronary heart illness data for different acquainted run mining calculations, for example, Apriori, Predictive Apriori and Tertius for the examination of coronary [2].

The author expressed that artificial neural systems (ANN) demonstrates the huge outcomes in heart malady finding. The design of neural system is shaped by number of preparing units (Neurons) and associations between them. A subgroup of handling components is called layer. The quantity of neurons and the layers relies on the many-sided quality of the framework contemplated. ANN is broadly utilized as a part of medicinal determination and human services applications in view of their prescient intense classifier for undertakings, adaptation to internal failure, speculation and gaining from environment. ANN is unsupervised learning sort gave just sources of info, yet no known targets. It is self-sorted out. The Dataset utilized is Cleveland dataset which comprises of 14 characteristics and 303 examples. ANN is prepared utilizing back proliferation learning calculation on coronary illness information. Information and target tests are separated as 60% preparing set, 20% approval set, 20% test set. The enactment capacity of digression sigmoid for concealed layers and direct exchange work for yield layer is utilized. Mean square mistake "MSE" is ascertained which is equivalent to 0.1071 and the grouping exactness for coronary illness is 88% [3].

Artificial neural networks as a decision making tool: The authors [Paulo J. Lisboa et al. 2006] have done a systematic review to assess the benefit of artificial neural networks as decision making tools in the field of cancer. A number of clinical and randomized clinical trials have been conducted using artificial neural networks for the last decade in diagnosis and prognosis. Eventually the above authors reviewed clinical fields where the usage of network has featured prominently [4].

Different Neural Networks for Heart disease database: The authors initially considered Heart Disease Database and used different types of Neural Networks namely MLP, PCA, RBF, Jordon GFF, SOFM, and conventional statistical Techniques such as DA and CART and observed that MLPNN Outperformed other Neural Networks for heart disease classification [5].

The authors introduced a classifier system for the heart disorder forecast and in like manner they've affirmed how the Naïve Bayes can be utilized for the characterization cause. They will order clinical learning to five unmistakable classes specifically no, low, ordinary, exorbitant, extremely unreasonable. On the off chance that found any obscure specimen the

strategy will order into its individual class name of that example. The dataset utilized here is the Cleveland therapeutic organization foundation coronary illness set which contains 303 perceptions and 14 parameters. The framework works in two stages: instructing stage, testing stage. In the preparation portion the grouping is administered, characterizes information arranged on the preparation set and sophistication marks as an ordering property and orders into new learning. In the looking at section it includes the forecast of the obscure information or the lacking qualities. The Naïve Bayes calculation is utilized and it is arranged upon the Bayesian hypothesis. The result has demonstrated that the exactness has been gotten through changing the quantity of events inside the given dataset [6].

Neural Network technology for the gene polymorphism. The authors observed that the combined analysis of multiple gene polymorphisms and clinical variables require the use of nonlinear methods. They have considered a Neural Network methodology for a combined analysis of two gene polymorphisms. MLP Network showed best performance and hence selected for other networks. The performance of the MLP Network is compared with discriminant function analysis [7].

The authors have applied neural networks on the data of eight different diseases. After obtaining the input and outputs, An MLP model was developed and obtained the results. The role of fuzzy approach was also selected for the purpose. Finally, they have come out with an outcome of the role of effective symptoms and the advantages of the data fuzzification [8].

The authors have observed that, Ageing Infection states connected with an expansion in cardiovascular occasions change the physical qualities of vein dividers and impede the pulsatile capacity of arteries. An assortment of systems is utilized to assess the mechanical properties of arteries. Hence, they have approached ANN's that classify a PPG signal into two distinct classes. For Building the classification models, Multistage based on time series data mining framework was used to build the classification models. Initially, they have considered a temporally high dimensional data, and the dimensionality was reduced by smoothing the input signal. The MLP with BP algorithm was used for the above purpose. It was observed MLP was able to classify two distinct classes in view of the great choice of preparing information tests. The information set comprises of 170 specimens, in which 56 tests were pathologies and the staying 114 were more advantageous [9].

One of the diseases that we come across in the coming decade is Parkinsons Disease. It is the second most common degenerative disease which is surpassed by Alzheimers disease. Hence the authors [David gilaet.al] feel that there should be decision making tool to diagnose the parkinsons disease. The above authors proposed methods based on ANN's and SVM's, The results have shown high accurateness of around 90% [10].

The authors proposed recently framework to get more exactness utilizing back engendering multilayer perceptron (MLP) Algorithm of neural systems than the other neural systems. It is a well-known successful strategy for ANN preparing system with a few advanced procedures like slope decent where it spreads back to shrouded layer. This learning standard moves the system down the steepest slant in mistake space. The strategy figures the profundity of the misfortune work in the information concerning every one of the weights in the system. As back engendering calculation requires the actuation work as it is connected to multilayer encourage forward systems which needs differentiable initiation capacities. The dataset utilized for experimentation is Information of coronary illness dataset taken from UCI machine learning vault called An Extensive Investigation on CoronaryHeart Disease utilizing Various Neuro Computational Models Cleveland dataset with 14 characteristics, 303 Instances and subsequent to cleaning of information they have removed 297 Instances from 303 Instances. MLP back spread is prepared with the information sources that are work consequently to increase the yield precision. The principle point is to minimize the normal whole of mistakes. The nourish forward back proliferation calculation secures most astounding exactness of 96.30%. So that the test comes successful to foresee the coronary illness with more exactness [11].

The authors have done grouping way arranged on preprocessing the information with key viewpoint assessment (PCA) and after that using differential development classifier to the forecast of coronary heart affliction. This framework used to be used for foreseeing guess from clinical information units. The results demonstrated that preprocessing the data before grouping would not most straightforward help with the scourge of expanding data dimensionality, yet moreover outfit one more improvement in grouping precision [12].

The author summarizes some of the most important developments that took place in the neural networks classification research. In his paper, he pointed out some of the important aspects in neural networks technology like back likelihood estimation, the connection amongst neural and routine classifiers, learning and speculation tradeoff in characterization, the element variable choice, and also the impact of misclassification expenses are analyzed [13].

The authors have developed a MLP based Neural Network System which behaves like a medical decision support system in the diagnosis of a heart disease. The input layer consists of 40 input factors classified into 4 gatherings and after that encoded by utilizing the proposed coding plans. The quantity of hubs in the concealed layer is resolved through a course learning process. There are 5 nodes in the output layer which determine heart disease. An Improved BP algorithm is used to train the network. The missing information of a patient is taken care of utilizing the substituting mean strategy. A cohort of 352 medical records were collected for the above purpose and it is observed that, MLP based decision support system can achieve very high diagnosis accuracy proving its usefulness in support of clinic decision making of heart diseases [14].

The authors have observed that the framework was arranged and attempted with inward carotid vein Doppler signals. The makers exhibited that multilayer perceptron neural system utilizing fast spread planning count was powerful to recognize inside carotid vein stenosis and hindrance technology for medical diagnostics. The authors applied neuro-fuzzy system in the distinguishing proof and portrayal of microbial pathogens. The structure builds its underlying standards by grouping, whereas the final fuzzy rule base is determined by competitive learning. Algorithms include error back propagation what's more, recursive slightest squares estimation are connected to the learning technique. The execution of the model was assessed and it is observed that, the electronic nose technology has a potential for identifying microbial contaminants in urine samples with much accuracy [15].

Numerous studies have revealed the potential value of gene expression signatures in examining the risk of disease recurrence. The research done by the author [Farzana Kabir Ahmad] took the effort to integrate to integrate

clinical and micro array data in order to obtain the breast cancer prognosis. The article written by the above authors reviews the development of breast cancer prognosis models especially concentrating on clinical and gene expression profiles [16].

The paper by S. Karpagavalli et al. 2009 talks about the risk management with respect to Anaesthesia which is at the forefront of risk management. The authors implemented three supervised learning algorithms Decision tree classifier, Naïve Bayes and MLP in WEKA environment. The model developed was a neural network model and the data is collected from 362 patients. The trained model was later on used for testing purpose and prediction accuracy of the above network were evaluated using 10 fold across validation and the results were compared [17].

The authors Atena Sajedin et al., outlines the utilization of a consolidated neural system demonstrate for order of electrocardiogram (ECG) beats. They have introduced a trainable neural system troupe way to deal with create altered electrocardiogram beat classifier with an end goal to additionally enhance the execution of ECG preparing and to offer individualized human services. They have utilized three phase method for discovery of premature ventricular withdrawal (PVC) from typical pulsates and other heart sicknesses. This strategy incorporates a demising, a component extraction and a characterization. At first they have explored the use of stationary wavelet convert (SWT) for clamor lessening of the electrocardiogram (ECG) signals. At that point include extraction module extricates 10 ECG morphological components and one planning interim element. At that point various multilayer perceptron (MLPs) neural systems with various topologies are composed. The execution of the distinctive mix strategies and in addition the productivity of the entire framework is exhibited. It is watched that the consolidated neural system demonstrate has the most noteworthy acknowledgment rate of around 95%. Along these lines, this system ends up being an appropriate applicant in ECG flag finding frameworks [18].

The author investigates the application of MLP Neural Networks in psychiatry. He observed that though are several different applications of MLP's in clinical decision making, but using it in Psychiatry is small compared to other diseases. The creator has uncovered the Neural Network hypothesis and factual hypothesis and looks at the qualities of MLP in

pertinent to the sorts of clinical basic leadership issues found in psychiatry. The issues that he saw through Neural Network are diagnosis of sadness among patients with wretchedness the yield of the MLP is contrasted and the calculated relapse, and found that there is qualified observational and hypothetical support for the use of MLP [19].

The author has introduced the role of neural networks for clinical elements of determination, visualization and survival investigation in the medical domains of oncology, basic care and cardiovascular drug. He has essentially discussed advances of therapeutic choice support emerging from parallel improvements from measurements and manmade brainpower. It is trailed by an overview of distributed randomized controlled and clinical trials prompting to suggestion for good practice in the outline and assessment of neural systems for use in medicinal intercession [20].

The authors Cluster examination is one range of machine learning quite compelling to information mining. The coordinated efforts between cardiovascular clinicians and software engineering are taking a gander at the use of neural systems, and specifically Cluster, to the zone of individual patient finding, in view of clinical records. The paper by the above author gives an enhancement of the K-means algorithm and allows its application to the blend of characteristic sorts found in the cardiovascular domain [21].

The authors have pointed out the pattern recognition ability of neural networks and described one of the useful techniques of Neural Network, Back Propagation (BP). He described the practical applications of neural networks in medicine and clinical chemistry. He has given a brief overview of the usage of neural networks as a medical decision support [22].

Transient change of mass injuries extra time is a key bit of data in PC supported determination. For a particular patient, change identification is a basic stride to choose sore contender for follow-up conclusion performed by either clinicians or PCs. Hence, author [Yue J Wang et al.] have built up a neural system based classifier to infer the probabilities of genuine masses. Specifically, they have created mPAR and MLP-based enrollment calculation to recoup non-rigid distortion, another change discovery conspire utilizing autonomous part examination of picture groupings. A component extraction calculation to acquire discriminative symbolism elements of genuine masses

against mass like typical tissues and also NN based choice emotionally supportive network for mass detection they have observed that the performance of the Neural Network is good by considering a data base consisting of 91 mammograms [23].

The author Dr Emma A. Braithwaite, describes the examination methods to be utilized as the center of a decision support device for infants who are conceived to a great degree untimely experience the ill effects of various conditions specifically aspiratory (lung) capacity is not completely created. These patients are put in an assortment of ventilators to help them to breathe. Because of the majority of the patients issues can overcome out at any ventilated patient and particularly which are basic to neonates. Hence, they have combined neural network models to improve the medical diagnostic accuracy of ultra sound Doppler signals [24].

The author Jayshril S. Sonawane et al., assessed the expectation approach for coronary heart infection making utilization of examining LVQNN calculation. The neural system on this calculation had 13 characteristics of info and predicts the nearness or nonattendance of heart affliction of sufferer. The expectation strategy depends on ANN. Manufactured neural system is an understanding handling methodology that methodologies the ability in an indistinguishable strategy in light of the fact that the organic uneasy framework procedures. On this procedure neural system considers that they have abilities to infer that implies from dubious or loose abilities which perhaps used to remove indicated designs and find patterns which can be additional expand to be seen through both people or other pc strategies and methodologies. The fundamental reason for using LVQ is that it makes models which can be easy to translate for pros inside the separate utility territory. Learning vector Quantization is forceful system utilizes the regulated learning procedure which contains two layers particularly aggressive layer and direct layer. The learning vector quantization calculation is connected on the Cleveland heart disease database. This recommends the forecast approach offers higher execution therefore giving us a compelling strategy for the expectation for the heart affliction [25].

Psychological Assessment is one of the important parameter in clinical research and for the assessment of which there are no standards are followed

to assess it. Generally empirically based approach (applying straight models to information) is utilized to infer significant develops and proper measures. Measurable derivations are utilized to survey the all-inclusive statement of detections. Hence the authors [Rumi Kato Price et al. 2000] have introduced ANN's and adaptable non-direct demonstrating strategies that test a models all inclusive statement by applying its evaluations against future information. They have observed that ANN's have potential for overcoming some short comings of linear models. They have also reviewed about ANN's and their applications to Psychological Assessments [26].

The authors Elliott et al., describe an inventive detecting approach permitting catch, segregation, and grouping of homeless people consequently in stride. The creators have explored the affectability of the distributive material detecting strategy with the possibility to address, adaptability on step evaluations, including tolerant focusing on and the augmentation to an assortment of wandering applications. The estimations of plate avoidance, step examples are contrasted and put away examples utilizing design acknowledgment calculation. These qualities are given as contribution to neural system to order ordinary and influenced strolling occasions. A grouping precision of over 90% is accomplished and thus it can be utilized as an apparatus for early determination of strolling issue [27].

The authors Resul Das et al., examined the utilization of gathering learning for enhancing classifiers which is one of the vital bearings in the ebb and flow research of machine learning, in which sacking, boosting and irregular subspace are three capable and mainstream agents. For valvular coronary illness recognition, there are no reviews examining their plausibility's. Subsequently, in this review, the creators have assessed the execution of three prominent group strategies for the finding of the valvular heart issue. To assess the execution of explored gathering procedure, a relative review is acknowledged by utilizing information set containing 215 examples. Test comes about propose the possibilities of group classification strategies, and inferred some important conclusions on the execution of troupe techniques for valvular coronary illness recognition [28].

The authors Á. Silva, P. Cortez et al., have observed that clinical data mining has picked up an expanded acknowledgment by the examination group because of its capability to discover answers that could give life or offer

solace to sick people. The creators looked into the use of Neural Networks for the forecast of organ dysfunctions of intensive care unit patients. The curiosity in this procedure is that, the utilization of middle of the road results characterized by the out of range estimations of four bedside observed factors has given an exactness of 70% [29].

The application of MLPNN (Multilayer Perceptron Neural Networks) in light of hereditary information choice for measurement of the uncertain crests in micellar electrokinetic capillary chromatography (MECC) is accounted for. The CE (capillary electrophoresis) tops can't be settled totally just by partition methods. The creators watched that MLPNN in light of hereditary information choice can be an appropriate instrument to determine the issue. The creators [Zhang Y. et al. 2005] additionally have watched that, applying of hereditary information choice in MLP can enhance the accuracy of evaluation in both totally and mostly covered CE tops to some degree [30].

Conclusion

In this paper, machine learning strategies and measurable procedures utilized for expectation and characterization plan of the heart disorder and these assessment features are useful for the aspirants who are working on area of neural systems.

References

- [1] Esra Mahsereci Karabulut and Turgay İbrikçi, Effective Diagnosis of Coronary Artery Disease Using, The Rotation Forest Ensemble Method, *Journal of Medical Systems* 36(5) (2012), 3011-3018, doi:10.1007/s10916-011-9778-y.
- [2] Imam. Tasadduq and Jesmin Nahar, Associationrule mining to detect factors which contribute heart disease in males and females, *Journal of Expert Systems with Applications* 40 (2013), 1086-1093.
- [3] Nourraajam, Heartdiseases diagnoses using artificial neural network, *Network And Complex Systems*, ISSN 2224-610X ISSN 2225-0603 (Online). 5(4) (2015).
- [4] J. Paulo Lisboa and Azzam F. G. Taktak, The use of artificial neural networks in decision support in cancer: A systematic review, *Neural Networks* 19 (2006), 408-415.
- [5] Ranjana Raut and S. V. Dudul, Design and performance analysis of MLP NN based binary Classifier for heart diseases, *Indian Journal of Science and Technology* 2(8) (2009), 43-48.
- [6] Dhanashree S. Medhekar, Mayur P. Bote and Shruti D. Deshmukh, Heart Disease

- Prediction System Using Naive Bayes, *International Journal of Enhanced Research in Science Technology and Engineering* 2(3) (2013), 2319-7463.
- [7] Alessandro Serretti and Enrico Smeraldi, Neural Networks analysis in pharmacogenetics of mood disorders, *BMC Medical Genetics* 5 (2004), 27, doi:10.1186/1471-2350-5-27.
 - [8] S. Moein, S. A. Monadjemi and P. Moallem, A Novel Fuzzy-Neural Based Medical Diagnosis System, *World Academy of Science, Engineering and Technology* (2008), 37.
 - [9] Mohamed Sultane, Mahamod Ismail, Zainol Abidin and Abdul Rashid, Artificial Neural Networks (ANN) Approach to PPG Signal Classification, *International Journal of Computing and Information Sciences* 2(1) (2004).
 - [10] A. David Gil and B. Magnus Johnson, Diagnosing Parkinson by using Artificial Neural Networks and Support Vector Machines, *Global Journal of Computer Science and Technology* 63-71.
 - [11] M. Durairaj and V. Revathi, Prediction of Heart Disease Using Back Propagation Mlp Algorithm, *International Journal of Scientific and Technology Research* 4(8) (2015), 2277-8616.
 - [12] Luukka Pasi and Lampinen Jouni, A Classification Method Based on Principal Component Analysis and Differential Evolution Algorithm Applied for Prediction Diagnosis from Clinical EMR Heart Data Sets, *Journal of Computer Intelligence in Optimization Adaption, Learning and Optimization* 7 (2010), 263-283.
 - [13] Guoqiang Peter Zhang, Neural Networks for Classification: A Survey, *IEEE Transactions on systems, Man, And Cybernetics-Part C: Applications and Reviews* 30(4) (2000), 451-462.
 - [14] Hongmei Yana, Yingtao Jiangb, Jun Zhenge, Chenglin Pengc and Qinghui Lid, A multilayer perceptron-based medical decision support system for heart disease diagnosis, *Expert Systems with Applications* 30 (2006), 272-281.
 - [15] V. S. Kodogiannis, I. Petrounias and J. N. Lygouras, An intelligent Decision Support System for Bacterial and clinical Isolates in Vitro utilizing an electronic nose, *Intelligent Decision Technologies* 3(4) (2009), 219-231.
 - [16] Farzana Kabir Ahmad, Safaai Deris and Nor Hayati Othman, Toward Integrated Clinical and Gene-Expression Profiles For Breast Cancer Prognosis: A Review Paper, *International Journal of Biometrics and Bioinformatics (IJBB)*, 3(4) 31-47.
 - [17] S. Karpagavalli, K. S. Jamuna and M. S. Vijaya, Machine Learning Approach for Preoperative Anaesthetic Risk Prediction, *International Journal of Recent Trends in Engineering* 1(2) (2009), 19-22.
 - [18] Atena Sajedin et al., A Trainable Neural Network Ensemble for ECG Beat Classification, *World Academy of Science, Engineering and Technology* 69 (2010).
 - [19] Tony Martin Florio, The use of neural networks for Clinical Decision Making in psychiatry, Thesis, School of Psychiatry, Faculty of Medicine, University of New South Wales, (2004).

- [20] P. J. G. Lisboa, A review of evidence of health benefit from Artificial Neural Networks in medical intervention, *Neural Networks* 15 (2002), 11-39.
- [21] Thuy. T.T. Nguyen and Darryl N. Davis, A Clustering Algorithm for Predicting Cardiovascular Risk, *Proceedings of the world congress on engineering*, 2007, Volume 1, WCE 2007, London UK. (2007).
- [22] Peter K. Sharp and Praminda Cale, *Artificial Neural Networks within Medical Decision Support System* 54(s219) (1994), 3-11.
- [23] Yue J. Wang, *Improving Clinical Diagnosis Through Change Detection in mammography*, *Storming Media, Pentagon Report*, 67, Report Number: A 186893.
- [24] Emma A. Braithwaite, *Neural Network for medical condition prediction: An Investigation of Neonatal Respiratory Disorder*, University of Edinburgh, (1998).
- [25] Sonawanel, Jayshril and D. R. Patil, *Prediction of Heart Disease Using Learning Vector Quantization Algorithm* (2014), 978-1-4799-3064-7/14/\$31. IEEE
- [26] Rumi Kato Price and Edward L. Spitznagel, *Applying Artificial Neural Network models to clinical Decision Making*, *Psychological Assessment* 12(1) (2000), 40-51.
- [27] M. T. Elliott, X. Ma and P. N. Brett, *A smart sensing platform for the classification of ambulatory patterns*, *Proceedings of the institution of mechanical engineers, Part H: Journal of Engineering Medicine*, 223, November 5/, (2009), 567-575.
- [28] Resul Das and Abdulkadir Sengur, *Evaluation of ensemble methods for diagnosing of Valvular heart Disease*, *Expert Systems with Applications* 37 (2010), 5110-5115.
- [29] Á. Silva, P. Cortez, M. Santos, L. Gomes and J. Neves (Portugal), *Organ Failure Diagnosis by Artificial Neural Networks*, *From Proceeding (403) Artificial Intelligence and Applications* (2010).
- [30] Y. Zhang et al, *Artificial Neural Networks based on genetic input selection for quantification in overlapped capillary electrophoresis peaks*, *Talanta* 65(1) (2005), 118-128.